

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	forward\$3 adj2 (rule table database) same topology same polic\$3 and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/09 14:14
L2	14	(rule table database) same topology same polic\$3 and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/09 14:29
L3	324	packet with treatment and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/09 14:29
L4	17	packet with treatment with select\$3 and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/09 14:32
L5	25	(forward\$3 routing) adj rule with select\$3 and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/09 14:43
L6	10	source with rule with select\$3 and @ad<"19971003" and packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/09 14:46
L7	26	PSTN same internet with select\$3 and @ad<"19971003" and packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/09 14:47
L8	0	source adj address with select\$3 and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/09 14:47
L9	625	source adj address with select\$3 and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/09 14:52
L10	25	source adj address with select\$3 with based and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/09 14:48